Hits	Search Text	DB	Time stamp
16016	(encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) same (block or frame or picture or image)	USPAT; US-PGPUB;	2003/10/23 16:44
10594	(encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2003/10/24 11:35
791	((encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image)) same (motion near2 (detect\$ or estimat\$ or vector))	IBM_TDB USPAT; US-PGPUB; EPO;	2003/10/23 16:59
278	(encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image) with (alternat\$)	IBM_TDB USPAT; US-PGPUB;	2003/10/23 17:14
17	((encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image) with (alternat\$)) same (motion near2 (detect\$ or estimat\$ or vector))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2003/10/23 16:59
688	382/239.ccls.	IBM_TDB USPAT; US-PGPUB;	2003/10/24 11:21
10594	(encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image)	EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2003/10/24 11:35
286	382/239.ccls. and ((encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image))	IBM_TDB USPAT; US-PGPUB; EPO;	2003/10/24 11:43
102	(382/239.ccls. and ((encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image))) and ((two or different) near4 (quantiz\$))	IBM_TDB USPAT; US-PGPUB; EPO;	2003/10/24 11:44
2	5046120.pn.	IBM_TDB USPAT; US-PGPUB;	2003/10/24 12:52
933	(382/181 or 382/195 or 382/205).ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/10/24 13:08
461	(quantiz\$ or encod\$) same (skip\$4 or bypass\$3 or omit\$4) with (block or area or cell) same (image or picture or frame)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2003/10/24 15:27
	10594 791 278 17 688 10594 286 102 2	frame or picture or image) (encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image) ((encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image)) same (motion near2 (detect\$ or estimat\$ or vector)) (encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image) with (alternat\$) ((encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image) with (alternat\$)) same (motion near2 (detect\$ or estimat\$ or vector)) 888 382/239.ccls. (encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image) 286 382/239.ccls. and ((encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image)) 102 (382/239.ccls. and ((encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image))) 103 (382/131 or 382/195 or 382/205).ccls.	frame or picture or image) 10594 (encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image) 791 ((encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image)) same (motion near2 (detect\$ or estimat\$ or vector)) 278 ((encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image) with (alternat\$) ((encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image) with (alternat\$)) same (motion near2 (detect\$ or estimat\$ or vector)) ((encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image) with (alternat\$)) same (motion near2 (detect\$ or estimat\$ or vector)) (encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image) (encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image) 10594 (encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image) 286 382/239.ccls. and ((encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image)) 287 288 382/239.ccls. and ((encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image)) 298 298 382/239.ccls. and ((encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image)) 299 209 382/239.ccls. and ((encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image)) 200 382/239.ccls. and ((encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image)) 2102 382/239.ccls. and ((encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (block or frame or picture or image)) 229 382/239.ccls. and ((encod\$ or quantiz\$) with (select\$3 or chosen or choos\$) with (select\$3 or chosen

	r	(1:04 1 04 1 05	Tron -	
-	182	(quantiz\$) same (skip\$4 or bypass\$3 or omit\$4) with (block or area or cell) same (image or picture or frame)	USPAT; US-PGPUB; EPO; DERWENT;	2003/10/24 17:27
			IBM_TDB	
•	16	((quantiz\$) same (skip\$4 or bypass\$3 or omit\$4) with (block or area or cell) same (image or picture or frame)) and 382/239.ccls.	USPAT; US-PGPUB; EPO;	2003/10/24 15:27
			DERWENT;	
-	19	("4302775" "4999074" "5099322" "5103307" "5159447" "5241383" "5267334" "5274443" "5283646" "5323187" "5426463" "5532746" "5617150" "5742707" "5818970"	IBM_TDB USPAT	2003/10/24 15:42
-	123	"5822465" "5862260" "5903676" "5974380").PN. (quantiz\$) same (skip\$4 or bypass\$3 or omit\$4) with (block or area or cell) with (image or picture or frame)	USPAT; US-PGPUB;	2003/10/24 17:27
-	1	(different or various) near6 (quantiz\$) with (skip\$4 or bypass\$3 or omit\$4) with (block or area or cell) with (image or picture or frame)	EPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/10/24 17:28
			EPO; DERWENT; IBM_TDB	
-	88	(quantiz\$) with (skip\$4 or bypass\$3 or omit\$4) with (block or area or cell) with (image or picture or frame)	USPAT; US-PGPUB; EPO; DERWENT;	2003/10/24 17:28
-	1101	((quantiz\$ or encod\$ or compress\$) near8 (background)) and ((quantiz\$ or encod\$ or compress\$) near8 (object or subject or foreground))	IBM_TDB USPAT; US-PGPUB; EPO;	2003/10/24 17:31
-	4	((bypass\$ or skip\$ or omit\$) near8 (background)) same ((quantiz\$ or encod\$ or compress\$) near8 (object or subject or foreground))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2003/10/24 17:31
-	40	(((quantiz\$ or encod\$ or compress\$) near8 (background)) and ((quantiz\$ or encod\$ or compress\$) near8 (object or subject or foreground))) and 382/239.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2003/10/24 17:53
-	666	(encod\$ or compress\$) with (different or various or alternative) near6 (quantiz\$)	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/10/27 09:45
-	1	((encod\$ or compress\$) with (different or various or alternative) near6	EPO; DERWENT; IBM_TDB USPAT;	2003/10/27 09:58
		(quantiz\$)) same ((bypass\$ or omit\$4 or exclud\$ or neglect\$) near6 (block or cell or area))	US-PGPUB; EPO; DERWENT;	
-	120	((first or current or "1") near2 (frame or picture or image)) same quantiz\$ same ((select\$ or chosen or choos\$) near4 (block or cell))	IBM_TDB USPAT; US-PGPUB; EPO;	2003/10/27 10:06
-	79	(((first or current or "1") near2 (frame or picture or image)) same quantiz\$ same ((select\$ or chosen or choos\$) near4 (block or cell))) same (encod\$ or compress\$)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/10/27 15:11
			IBM_TDB	

-	2	5748789.pn.	USPAT;	2003/10/27 13:35
		•	US-PGPUB;	
			EPO;	
			DERWENT; IBM_TDB	
_	234	(encod\$ or compress\$ or quantiz\$) with (alternative near2 (frame or	USPAT;	2003/10/27 14:24
		picture or image))	US-PGPUB;	
			EPO;	
			DERWENT; IBM_TDB	
_	136	(encod\$ or quantiz\$) with (alternative near2 (frame or picture or image))	USPAT;	2003/10/27 14:24
			US-PGPUB;	
			EPO;	
			DERWENT; IBM_TDB	
-	4247	(encod\$ or quantiz\$) with ((selected or chosen) near3 (cell or block or	USPAT;	2003/10/27 14:30
		area))	US-PGPUB,	
			EPO;	
			DERWENT; IBM_TDB	
-	733	((encod\$ or quantiz\$) with ((selected or chosen) near3 (cell or block or	USPAT;	2003/10/27 14:30
		area))) same (frame or image or picture)	US-PGPUB,	
			EPO;	
			DERWENT; IBM_TDB	
-	2162	(encod\$ or quantiz\$) near6 ((selected or chosen) near3 (cell or block or	USPAT;	2003/10/27 14:30
		area))	US-PGPUB;	
			EPO; DERWENT;	
			IBM_TDB	
-	471	((encod\$ or quantiz\$) near6 ((selected or chosen) near3 (cell or block or	USPAT;	2003/10/27 14:30
		area))) same (frame or image or picture)	US-PGPUB;	
			EPO; DERWENT;	
			IBM_TDB	
-	320	((encod\$ or quantiz\$) near6 ((selected or chosen) near3 (cell or block or	USPAT;	2003/10/27 14:31
		area))) with (frame or image or picture)	US-PGPUB; EPO;	
			DERWENT;	
			IBM_TDB	
-	228	[(()		2003/10/27 14:32
		area))) with (frame or image or picture)) and (compress\$)	US-PGPUB; EPO;	
			DERWENT,	
		((((IBM_TDB	2002/10/27 14 25
-	92	((((encod\$ or quantiz\$) near6 ((selected or chosen) near3 (cell or block or area))) with (frame or image or picture)) and (compress\$)) and	USPAT; US-PGPUB;	2003/10/27 14:35
		382/\$.ccls.	EPO;	
			DERWENT;	
	42	((((first or current or "1") near2 (frame or picture or image)) same	IBM_TDB USPAT;	2003/10/27 15:11
	""	quantiz\$ same ((select\$ or chosen or choos\$) near4 (block or cell)))	US-PGPUB;	2003/10/27 13:11
		same (encod\$ or compress\$)) and (color)	EPO;	
			DERWENT;	
_	1	(((((first or current or "1") near2 (frame or picture or image)) same	IBM_TDB USPAT;	2003/10/27 15:12
	·	quantiz\$ same ((select\$ or chosen or choos\$) near4 (block or cell)))	US-PGPUB;	2003/10/2/ 13.12
		same (encod\$ or compress\$)) and (color)) and ("cy")	EPO;	
			DERWENT;	
L	L	I	IBM_TDB	

	1 100	10 10 11 11 11 11 11 11 11 11 11 11 11 1	TIODAT	0000/10/00 100
-	132	(encod\$ or quantiz\$) with ((skip\$ or omit\$ or bypass\$) near3 (block or cell or area)) same (image or frame or picture)	USPAT; US-PGPUB;	2003/10/29 17:04
			EPO;	
			DERWENT; IBM_TDB	
_	22	((encod\$ or quantiz\$) near6 ((unselected or bypassed or omitted or	USPAT;	2003/10/30 15:24
		skipped) near2 (block or cell or area))) with (frame or image or picture)	US-PGPUB;	
			EPO;	
			DERWENT;	
_	1082	((video near2 conferenc\$) or teleconferenc\$) with (encod\$)	IBM_TDB USPAT;	2003/10/30 16:15
		((1.000 1.0002 00.0000) 62 10.000.0000, 11.00 (0.0000)	US-PGPUB;	2003/10/30 10:13
	1		EPO;	
			DERWENT;	
_	1102	((video near2 conferenc\$) or teleconferenc\$) with (encod\$ or quantiz\$)	IBM_TDB USPAT;	2003/10/30 16:17
	1102	((Title hear conference) of teleconference) was (choose of quantize)	US-PGPUB;	2003/10/30 10:17
			EPO;	
			DERWENT;	
_	27	(((video near2 conferenc\$) or teleconferenc\$) with (encod\$ or quantiz\$))	IBM_TDB USPAT;	2003/10/30 16:16
		and 382/239.ccls.	US-PGPUB;	2003/10/30 10:10
			EPO;	
			DERWENT;	
_	1146	((video near2 (conferenc\$ or phone)) or teleconferenc\$) with (encod\$ or	IBM_TDB USPAT;	2003/10/30 16:17
	1110	quantiz\$)	US-PGPUB;	2003/10/30 10:17
			EPO;	
			DERWENT;	
_	2100	((video near2 (conferenc\$ or phone)) or teleconferenc\$) with (encod\$ or	IBM_TDB USPAT;	2003/10/30 16:18
		quantiz\$ or compress\$)	US-PGPUB;	2003/10/30 10:10
			EPO;	
			DERWENT; IBM_TDB	
-	7	(((video near2 (conferenc\$ or phone)) or teleconferenc\$) with (encod\$ or	USPAT;	2003/10/30 16:20
		quantiz\$ or compress\$)) same (((bypass\$ or skip\$4 or omit\$) near6	US-PGPUB,	
		(block or cell or area or region or segment)) near6 (image or frame or	EPO;	
		picture))	DERWENT; IBM_TDB	
-	4057	((encod\$ or quantiz\$ or compress\$) near6 (foreground or mov\$6 or	USPAT;	2003/10/30 17:01
		motion)) and ((encod\$ or quantiz\$ or compress\$) near6 (background or	US-PGPUB;	
1		stationary))	EPO; DERWENT;	
			IBM_TDB	
-	78	(((video near2 (conferenc\$ or phone)) or teleconferenc\$) with (encod\$ or	USPAT;	2003/10/30 17:00
		quantiz\$ or compress\$)) and (((encod\$ or quantiz\$ or compress\$) near6	US-PGPUB;	
		(foreground or mov\$6 or motion)) and ((encod\$ or quantiz\$ or compress\$) near6 (background or stationary)))	EPO; DERWENT;	
		compresse) meato (oderground di stationaly)))	IBM_TDB	
-	164	((encod\$ or quantiz\$ or compress\$) near6 (foreground or mov\$6 or	USPAT;	2003/10/30 17:05
		motion) near5 (block or cell or area or array)) and ((encod\$ or quantiz\$	US-PGPUB;	
		or compress\$) near6 (background or stationary) near5 (block or cell or area or array))	EPO; DERWENT;	
		area or array))	IBM_TDB	
-	53	(((encod\$ or quantiz\$ or compress\$) near6 (foreground or mov\$6 or	USPAT;	2003/10/30 17:06
		motion) near5 (block or cell or area or array)) and ((encod\$ or quantiz\$	US-PGPUB;	
		or compress\$) near6 (background or stationary) near5 (block or cell or area or array))) and (382/\$.ccls. or 348/\$.ccls.)	EPO; DERWENT;	
			IBM_TDB	

-	23	(compress\$ or encod\$) same ((different or various or several or another) near4 (quantiz\$)) same ((alternative or next or follow\$3 or preceding)	USPAT; US-PGPUB;	2003/10/31 11:39
l		near2 (frame or image or picture))	EPO;	
		, , , , , , , , , , , , , , , , , , ,	DERWENT;	
]			IBM TDB	
-	2	5594813.pn.	USPĀT;	2003/10/31 12:07
			US-PGPUB;	
			EPO;	
			DERWENT,	
ļ .			IBM_TDB	
-	2	5379351.pn.	USPĀT;	2003/10/31 12:09
		•	US-PGPUB;	
			EPO;	
			DERWENT,	
			IBM_TDB	
-	223	(quantiz\$ or encod\$ or compress\$) near8 (unselected or bypassed or	USPAT;	2003/10/31 12:40
		omitted or background or skipped) near2 (block or cell or array or area	US-PGPUB;	
l		or region) near4 (frame or image or picture)	EPO;	
			DERWENT;	
			IBM_TDB	
-	99	(quantiz\$ or encod\$ or compress\$) near3 (unselected or bypassed or	USPAT;	2003/10/31 13:12
		omitted or background or skipped) near2 (block or cell or array or area	US-PGPUB;	
		or region) near4 (frame or image or picture)	EPO;	
			DERWENT;	
			IBM_TDB	
-	3	(quantiz\$ or encod\$ or compress\$) near3 (unselected or bypassed or	USPAT;	2003/10/31 13:18
		omitted or background or skipped) near2 (block or cell or array or area	US-PGPUB;	
		or region) near7 ((next or follow\$3 or preceding or another) near3	EPO;	
		(frame or image or picture))	DERWENT;	
			IBM_TDB	
-	3	(quantiz\$ or encod\$ or compress\$) near3 (unselected or bypassed or	USPAT;	2003/10/31 13:18
		omitted or background or skipped or unselected or "not selected") near2	US-PGPUB;	
		(block or cell or array or area or region) near7 ((next or follow\$3 or	EPO;	
		preceding or another) near3 (frame or image or picture))	DERWENT;	
			IBM_TDB	
-	60	((encod\$3 or quantiz\$) near8 (selected or changed or chosen or choos\$)	USPAT;	2003/10/31 13:34
		near2 (block or array or area or region or cell)) and ((encod\$3 or	US-PGPUB;	
		quantiz\$) near8 (unselected or unchanged or "not chosen" or bypassed or	EPO;	
		skipped) near2 (block or array or area or region or cell))	DERWENT;	
			IBM_TDB	
-	214	((encod\$5 or quantiz\$6 or compress\$7) near7 (select\$7 or separat\$6)	USPAT;	2003/12/18 18:20
		with (image or frame)) and (375/240.03 or 382/240.24).ccls.	US-PGPUB;	
			EPO;	
			DERWENT;	
	250	((oncodes or overtire) or compressed to	IBM_TDB	2002/12/19 19:21
-	358	((encod\$5 or quantiz\$6 or compress\$7) near7 (select\$7 or separat\$6)	USPAT;	2003/12/18 18:21
		with (image or frame)) and (375/240.03 or 375/240.24).ccls.	US-PGPUB;	
			EPO; DERWENT;	
	108	(((encod\$5 or quantiz\$6 or compress\$7) near7 (select\$7 or separat\$6)	IBM_TDB	2003/12/19 19:22
-	108	with (image or frame)) same (background or motion or movement)) and	USPAT;	2003/12/18 18:22
		(375/240.03 or 375/240.24).ccls.	US-PGPUB; EPO;	
		(3131270.03 01 3131270.27).WIS.	DERWENT;	
			IBM_TDB	
<u> </u>	2	6208693.pn.	USPAT;	2003/12/18 18:24
-		oboooss,pit.	US-PGPUB;	2003/12/10 10:24
			EPO;	
			DERWENT;	
			IBM_TDB	
_	9	("4394680" "5117283" "5194941" "5659490" "5963257"	USPAT	2003/12/18 18:24
	1			2303/12/10 10:24
		"5974172" "5999219" "6122014" "6141442").PN.		

	T			
-	409	(encod\$6 or quantiz\$6) near4 (background) near4 (frame or image or picture)	USPAT; US-PGPUB;	2004/02/04 14:32
		ļ,	EPO;	
			DERWENT;	
			IBM TDB	
-	1825	(encod\$6 or quantiz\$6) near4 (background or stationary or still) near4	USPAT;	2004/02/04 14:35
		(frame or image or picture)	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	472	(encod\$6 or quantiz\$6) near4 (background or stationary) near4 (frame or	USPAT;	2004/02/04 14:35
		image or picture)	US-PGPUB;	
1			EPO;	
i			DERWENT;	
			IBM_TDB	
-	16	((encod\$6 or quantiz\$6) near4 (background or stationary) near4 (frame	USPĀT;	2004/02/04 14:35
		or image or picture)) and (375/240.03 or 375/240.24).ccls.	US-PGPUB;	
			EPO;	
			DERWENT;	
i			IBM_TDB	
-	752	382/239.ccls.	USPAT;	2004/02/20 13:48
			US-PGPUB;	
	·		EPO;	
			DERWENT;	
			IBM_TDB	
-	1158	(375/240.03 or 375/240.24).ccls.	USPAT;	2004/02/20 13:49
			US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	58	382/239.ccls. and ((375/240.03 or 375/240.24).ccls.)	USPAT;	2004/02/20 13:49
			US-PGPUB;	
			EPO;	
1			DERWENT;	
_	3229	((encod\$6 or compress\$6 or quantiz\$6) with ((next or follow\$3 or	IBM_TDB USPAT;	2004/02/20 13:54
-	322)	success\$5) near2 frame))	US-PGPUB;	2004/02/20 13.34
		success, near mane)	EPO;	
			DERWENT;	
			IBM_TDB	
_	281	(((encod\$6 or compress\$6 or quantiz\$6) with ((next or follow\$3 or	USPAT;	2004/02/20 13:56
		success\$5) near2 frame))) and (382/239.ccls. or ((375/240.03 or	US-PGPUB;	230 11 02/20 13.30
		375/240.24).ccls.))	EPO;	
			DERWENT;	
!			IBM_TDB	
-	11	(((encod\$6 or compress\$6 or quantiz\$6) with ((next or follow\$3 or	USPAT;	2004/02/20 13:56
		success\$5) near2 frame))) and (382/239.ccls. and ((375/240.03 or	US-PGPUB;	
		375/240.24).ccls.))	EPO;	
			DERWENT,	
			IBM_TDB	
-	7938	(encod\$6 or quantiz\$6 or compress\$6) near7 (skipped or unselected or	USPAT;	2004/02/20 14:37
		selected or bypass\$4) near2 (block or region or area or segment or	US-PGPUB;	
		portion or cell or part or section)	EPO;	
			DERWENT;	
		// Inc	IBM_TDB	
-	290	((encod\$6 or quantiz\$6 or compress\$6) near7 (skipped or unselected or	USPAT;	2004/02/20 14:38
		selected or bypass\$4) near2 (block or region or area or segment or	US-PGPUB;	
		portion or cell or part or section)) and (382/239.ccls. or ((375/240.03 or	EPO;	
		375/240.24).ccls.))	DERWENT;	
	L	<u> </u>	IBM_TDB	

	5512	100 (-000	LICDATE	2004/02/02 14 44
-	5513	(encod\$6 or quantiz\$6 or compress\$6) near7 ((skipped or unselected or selected or bypass\$4) near2 (block or region or area or segment or	USPAT;	2004/02/20 14:44
		portion or cell or part or section))	US-PGPUB;	
		portion of cent of part of section())	EPO; DERWENT;	
			IBM_TDB	
	222	((encod\$6 or quantiz\$6 or compress\$6) near7 ((skipped or unselected or	USPAT;	2004/02/20 14:45
ľ	222	selected or bypass\$4) near2 (block or region or area or segment or	US-PGPUB;	2004/02/20 14.43
		portion or cell or part or section))) and (382/239.ccls. or ((375/240.03 or	EPO;	
		375/240.24).ccls.))	DERWENT;	
		3737240.24).6613.))	IBM_TDB	
<u>-</u>	603	(encod\$6 or quantiz\$6 or compress\$6) near7 ((skipped or unselected or	USPAT;	2004/02/20 14:44
		bypass\$4) near2 (block or region or area or segment or portion or cell or	US-PGPUB;	200 1102120 14.14
		part or section))	EPO;	
		,	DERWENT;	
			IBM_TDB	
_	32	((encod\$6 or quantiz\$6 or compress\$6) near7 ((skipped or unselected or	USPAT;	2004/02/20 14:45
1		bypass\$4) near2 (block or region or area or segment or portion or cell or	US-PGPUB;	
		part or section))) and (382/239.ccls. or ((375/240.03 or	EPO;	
		375/240.24).ccls.))	DERWENT,	
			IBM_TDB	
-	1	(encod\$6 or quantiz\$6 or compress\$6) near6 (background or foreground	USPAT;	2004/02/20 15:19
		or stationary) near3 ((next or follow\$6 or success\$6) adj (frame))	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	55	((unchanged or skipped or bypassed) near2 (block or cell or area or	USPAT;	2004/02/23 13:52
:		region or part or section or segment)) with (frame) with (encod\$6 or	US-PGPUB;	
		quantiz\$6)	EPO;	
			DERWENT;	
	4394	(375/240.03 or 375/240.24 or 382/232 or 382/236 or 382/238 or	IBM_TDB	2004/02/02 10:45
-	4394	382/239 or 382/244 or 382/245 or 382/246 or 382/251).ccls.	USPAT;	2004/03/03 10:45
		3021237 01 3021244 01 3021243 01 3021240 01 3021231 J.CCIS.	US-PGPUB; EPO;	!
			DERWENT;	•
			IBM_TDB	
-	0	((375/240.03 or 375/240.24 or 382/232 or 382/236 or 382/238 or	USPAT;	2004/03/03 10:47
		382/239 or 382/244 or 382/245 or 382/246 or 382/251).ccls.) and	US-PGPUB;	
		(frequent\$3 with encod\$6 with (high near2 qualtization))	EPO;	
		, , , , , , , , , , , , , , , , , , , ,	DERWENT;	
		·	IBM_TDB	
-	0	((375/240.03 or 375/240.24 or 382/232 or 382/236 or 382/238 or	USPAT;	2004/03/03 10:47
		382/239 or 382/244 or 382/245 or 382/246 or 382/251).ccls.) and	US-PGPUB;	
		(frequent\$3 with encod\$6 with (high near2 quantization))	EPO;	
1			DERWENT;	
	909	((275/240.02 or 275/240.24 or 292/222 or 292/224 or 292/224	IBM_TDB	2004/02/02 10 52
-	808	((375/240.03 or 375/240.24 or 382/232 or 382/236 or 382/238 or	USPAT;	2004/03/03 10:53
		382/239 or 382/244 or 382/245 or 382/246 or 382/251).ccls.) and ((encod\$6 or quantiz\$6 or compress\$6) with ((selected or predetermined	US-PGPUB;	
		or chosen) near2 (block or portion or segment or area or region or part or	EPO; DERWENT;	
		cell)))	IBM_TDB	
_	969	((375/240.03 or 375/240.24 or 382/232 or 382/236 or 382/238 or	USPAT;	2004/03/03 10:54
		382/239 or 382/244 or 382/245 or 382/246 or 382/251).ccls.) and	US-PGPUB;	200 TO
i		((encod\$6 or quantiz\$6 or compress\$6) near7 ((selected or	EPO;	
1		predetermined or chosen or chang\$3 or motion) near2 (block or portion	DERWENT;	
		or segment or area or region or part or cell)))	IBM TDB	
-	342	((375/240.03 or 375/240.24 or 382/232 or 382/236 or 382/238 or	USPAT;	2004/03/03 10:55
		382/239 or 382/244 or 382/245 or 382/246 or 382/251).ccls.) and	US-PGPUB;	
		(((encod\$6 or quantiz\$6 or compress\$6) near7 ((selected or	EPO;	
		predetermined or chosen or chang\$3 or motion) near2 (block or portion	DERWENT;	
		or segment or area or region or part or cell))) with (frame or picture))	IBM_TDB	

-	38	(((375/240.03 or 375/240.24 or 382/232 or 382/236 or 382/238 or	USPAT;	2004/03/03 11:00
		382/239 or 382/244 or 382/245 or 382/246 or 382/251).ccls.) and	US-PGPUB;	
		(((encod\$6 or quantiz\$6 or compress\$6) near7 ((selected or	EPO;	
		predetermined or chosen or chang\$3 or motion) near2 (block or portion	DERWENT;	
		or segment or area or region or part or cell))) with (frame or picture)))	IBM_TDB	
		and ((skipped or bypassed or unselected or unchosen or ("not" adj	İ	
		(chosen or selected))) near2 (block or segment or area or portion or		
		region or part or cell))		
-	461	(encod\$6 or quantiz\$7) near4 (skipped or bypassed or unselected or	USPAT;	2004/03/03 12:05
	1	unchosen or ("not" adj (selected or chosen)))	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM TDB	
_	91	((375/240.03 or 375/240.24 or 382/232 or 382/236 or 382/238 or	USPAT;	2004/03/03 12:07
	'	382/239 or 382/244 or 382/245 or 382/246 or 382/251).ccls.) and	US-PGPUB;	200 11 051 05 12.01
		((encod\$6 or quantiz\$7) near4 (skipped or bypassed or unselected or	EPO;	
		unchosen or ("not" adj (selected or chosen))))	DERWENT;	
		unchosen of (not adj (selected of chosen))))	IBM_TDB	
	2	"20030147462"	_	2004/03/03 21:30
-		20030147402	USPAT;	2004/03/03 21.30
			US-PGPUB;	
			EPO;	
			DERWENT;	
		5040070	IBM_TDB	2004/02/02 21 24
-	2	5040060.pn.	USPAT;	2004/03/03 21:34
			US-PGPUB;	
			EPO;	
	j		DERWENT;	
			IBM_TDB	
-	2	5485213.pn.	USPAT;	2004/03/03 21:34
			US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	2	6208693.pn.	USPAT;	2004/03/03 21:34
			US-PGPUB;	
			EPO;	
	1		DERWENT;	
			IBM_TDB	
-	1100	((cod\$2 or encod\$5 or compress\$5 or quantiz\$6) near6 (region or block	USPAT;	2004/09/08 22:09
		or area)) same ((skip\$3 or bypass\$6) near6 (block or region or area))	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	1120	((cod\$3 or encod\$5 or compress\$5 or quantiz\$6) near6 (region or block	USPĀT;	2004/09/08 22:11
		or area)) same ((skip\$3 or bypass\$6) near6 (block or region or area))	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
_	1105	((cod\$3 or encod\$5 or compress\$5) near6 (region or block or area))	USPAT;	2004/09/08 22:11
		same ((skip\$3 or bypass\$6) near6 (block or region or area))	US-PGPUB;	
		(/ ant an analythment / annual / annual / annual)	EPO;	
	1.		DERWENT;	
	'		IBM TDB	
-	93	(((cod\$3 or encod\$5 or compress\$5) near6 (region or block or area))	USPAT;	2004/09/08 22:11
	'3	same ((skip\$3 or bypass\$6) near6 (block or region or area))) same	US-PGPUB;	200 110 1100 22.11
		(quantiz\$6)	EPO;	
		(quantizato)	DERWENT;	
	1000	(quantized) with (block or call or area or region) with (frame)	IBM_TDB	2004/00/12 16:16
-	1889	(quantiz\$6) with (block or cell or area or region) with (frame)	USPAT;	2004/09/13 16:16
			US-PGPUB;	
			EPO;	
			DERWENT;	
	l	<u> </u>	IBM_TDB	

-	63	((quantiz\$6) with (block or cell or area or region) with (frame)) with	USPAT;	2004/09/13 15:52
		(part\$5 or bypass\$6 or incomplet\$5)	US-PGPUB;	
		. ,	EPO;	
			DERWENT;	
			IBM_TDB	
-	9	((quantiz\$6) with (block or cell or area or region) with (frame)) with	USPAT;	2004/09/13 16:05
		(partial\$3 or bypass\$6 or incomplet\$5)	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	193	(quantiz\$6) with ((selected or appointed or predetermined or preselected	USPAT;	2004/09/13 16:18
		or elected or assigned) near3 (block or cell or area or region)) with	US-PGPUB;	
-		(frame)	EPO;	
			DERWENT;	
	157	((avantings) with ((aslasted on amointed on anodetermined on	IBM_TDB	2004/00/14 17:10
-	157	((quantiz\$6) with ((selected or appointed or predetermined or preselected or elected or assigned) near3 (block or cell or area or	USPAT;	2004/09/14 17:18
		region)) with (frame)) and @ad<20000925	US-PGPUB;	
			EPO; DERWENT;	
			IBM TDB	
l <u>.</u>	157	((quantiz\$6) with ((selected or appointed or predetermined or	USPAT:	2004/09/14 17:18
	137	preselected or elected or assigned) near3 (block or cell or area or	US-PGPUB;	2004/03/14 17:10
		region)) with (frame)) and @ad<20000925	EPO;	
			DERWENT;	
			IBM_TDB	
_	228	(background near4 (quantiz\$6 or encod\$5)) same ((motion or mov\$5 or	USPĀT;	2004/09/14 17:19
	1	object or subject) near4 (quantiz\$5 or encod\$5))	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	27	((background near4 (quantiz\$6 or encod\$5)) same ((motion or mov\$5 or	USPAT;	2004/09/14 17:20
		object or subject) near4 (quantiz\$5 or encod\$5))) and ((different or	US-PGPUB;	
		var\$4 or adapt\$4) near3 quantiz\$6)	EPO;	
			DERWENT;	
L			IBM_TDB	

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.